

CITY OF PORTLAND HOME ENERGY SCORE PROGRAM

	2005 PATH 1	2005 PATH 10	2008	2011	2014	2017	2021	2023
Effective Date	10/1/2005	10/1/2005	7/1/2008	10/1/2011	10/1/2014	1/1/2018	4/1/2021	4/1/2023
Maximum Window U-Value	U .40	U .35	U .35	U .35	U .35	U .30	U .30	U .27
Wall Insulation (2x4)	N/A	R-15	N/A	N/A	N/A	N/A	N/A	N/A
Wall Insulation (2x6)	R-21	N/A	R-21	R-21	R-21	R-21 I	R-21 I	R-21 I
Underfloor Insulation	R-25	R-30	R-30	R-30	R-30	R-30	R-30	R-30
Flat Ceiling Insulation	R-38	R-49	R-38	R-38	R-38	R-38	R-49	R-38
Vaulted Ceiling Insulation	R-30	R-38	R-38	R-38	R-38	R-38	R-30	R-30
Basement Wall Insulation	R-15	R-15	R-15	R-15	R-15	R-15	R-15 C or R-21	R-15 C or R-21
Slab On Grade Perimeter Ins.	R-15	R-15	R-15	R-15	R-15	R-15	R-15	R-15
Duct insulation	R-8	R-8	R-8	R-8	R-8	R-8	R-8	R-8

I: Intermediate Framing C: Continuous rigid insulation

NOTE: Insulation R-values are nominal. Therefore they need to be derated further if Assessor is unable to verify as Good install quality by sight.